



## SAFETY DATA SHEET

### CBAL Fly Spray (HSE No.: 7629)

Page 1 of 4

Revision No. 3

Issue date: 19 December 2006

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

<b>Product name</b>	CBAL Fly Spray
<b>Company</b>	PelGar International Ltd Unit 13, Newman Lane Industrial Estate, Newman Lane, Alton, Hampshire GU34 2QR
<b>Telephone</b>	Tel +44 (0) 1420 80744
<b>Telefax</b>	Fax +44 (0) 1420 80733
<b>Product code</b>	905

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<b>Hazardous components</b>	Permethrin 0.25% CAS 52645-53-1 Xn; R20/22 R43 N; R50/53 Piperonyl Butoxide 0.75% CAS 51-03-6 N; R50/53 Tetramethrin 0.125% CAS 7696-12-0 N; R50/53 Petroleum Distillates Hydrotreated Light Oil 90-100% CAS: 64742-47-8 Xn;R65
-----------------------------	---

#### 3. HAZARDS IDENTIFICATION

<b>Most important hazards</b>	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.
<b>Specific hazards</b>	Product can accumulate static charges which can cause an incendiary electrical discharge. Material can form flammable mixtures or can burn only if heated to temperatures at or above the flash point.

#### 4. FIRST AID MEASURES

<b>Skin contact</b>	Remove contaminated clothing Wash off immediately with soap and plenty of water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use
<b>Eye contact</b>	Rinse immediately with plenty of water for at least 15 minutes. If irritation persists obtain medical attention
<b>Inhalation</b>	Inhalation of mist or spray, may cause irritation of the respiratory system. Move to fresh air. Obtain medical advice immediately.
<b>Ingestion</b>	Do not induce vomiting. If conscious give a small amount of milk or water to drink and obtain medical attention. Show the container label or this safety data sheet to the doctor
<b>General advice</b>	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media</b>	Keep fire exposed containers cool by spraying with water if exposed to fire. Fight surrounding fire with foam, dry chemical, water spray or mist.
<b>Extinguishing media which must not be used for safety reasons</b>	Do not use water jets
<b>Specific hazards</b>	Combustible material. Fire may cause toxic fumes (oxides of carbon) to evolve. Avoid spraying water directly into storage containers due to danger of boilover.

# CBAL Fly Spray

Page 2 of 4

Revision No. 3

Issue date: 19 December 2006

**Special protective equipment for firefighters** In the event of fire, wear a self-contained breathing apparatus and a chemical protection suit, gloves and boots.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear suitable protective clothing, gloves and eye/face protection..See section 8. Keep public away.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Contain or absorb leaking liquid with earth or sand. Prevent liquid entering watercourses, sewers or basements. Prevent product from entering drains. If substance has entered a watercourse or sewer or contaminated soil or vegetation, inform the appropriate authority.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material. Transfer to a suitably labelled container. Subsequently, wash the contaminated area with water, or detergent and water, taking care to prevent the washings from entering surface water drains. For large spills, recover by pumping (use an explosion proof or hand pump).

## 7. HANDLING AND STORAGE

<b>Handling</b>	<p>Material will accumulate static charge, which may cause an electrical spark (ignition source). Take precautionary measures against static discharges Do not apply in the presence of naked flames, hot surfaces or unprotected electrical equipment. Ensure all equipment is electrically grounded before beginning transfer operations Container remains hazardous when empty. Continue to observe all precautions. The product is flammable but not readily ignited. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Keep away from open flames, hot surfaces and sources of ignition - No smoking.</p> <p>If splashing is likely to occur wear approved eye protection. If spray mists are likely, wear a suitable approved respirator.</p> <p>If skin contact is likely to occur wear rubber gloves and suitable impervious protective clothing. Use in a well ventilated area where possible. Always use good personal hygiene procedures when handling chemicals. Do not smoke eat or drink while handling this product. Wash hands, face and exposed skin after using, and before eating, drinking or smoking. Read the label before use.</p> <p>Keep product and empty container away from heat and sources of ignition.</p>
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food and animal feedstuffs Store in accordance with Health and Safety Executive's Guidance Note HSG71 Keep away from oxidising agents Keep away from sources of ignition.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure limit(s)</b>	Petroleum Distillates Hydrotreated Light Oil TWA(ppm):300
<b>Engineering measures</b>	The use of mechanical (explosion proof) dilution ventilation is recommended whenever this product is used in a confined space.
<b>Respiratory protection</b>	Suitable approved respirator if exposed to spray mists
<b>Hand protection</b>	Rubber or plastic gloves
<b>Eye protection</b>	If splashes are likely to occur, wear goggles
<b>Skin and body protection</b>	Impervious clothing boots

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Description</b>	Liquid
<b>Colour</b>	Light yellow
<b>Odour</b>	Aromatic
<b>pH</b>	Not applicable
<b>Boiling point/range</b>	200 - 250°C

# CBAL Fly Spray

Flash point	>70°C
Explosive properties	0.6 - 8.0%
Vapour pressure	0.03kPa at 20C
Relative density	0.8
Water solubility	Immiscible @ 20C
Viscosity	No data
Vapour density	>1
Melting point/range	Not available
Autoignition temperature	>200C

## 10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Strong oxidising agents strong bases
Hazardous decomposition products	Oxides of carbon, smoke

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity	ORL RAT LD50 > 2000 mg/kg (calculated) DERMAL RAT LD50 > 4000mg/kg (calculated) Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Vapour concentrations above recommended exposure levels might be irritating to eyes and the respiratory tract.
Sensitisation	May cause sensitisation of susceptible persons by skin contact.
Repeated or prolonged exposure	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.
mutagenic effects	Not available
carcinogenic effects	Not available

## 12. ECOLOGICAL INFORMATION

Ecotoxicity effects	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Further Information	This product must not enter water discharge system. Inform appropriate authority if large spillage enters drains.

## 13. DISPOSAL CONSIDERATIONS

General Information	Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### ADR/RID

UN-No	3082	Packing group	III
Class	9	Hazard ID	90
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains permethrin and tetramethrin)		

### IMO

UN-No	3082	Packing group	III
Class	9	Marine pollutant	No
EmS	F-A S-F		

# CBAL Fly Spray

Page 4 of 4

Revision No. 3

Issue date: 19 December 2006

IATA-DGR

UN-No 3082

Class 9

packaging 914

Packing group III

Sub-risks -

## 15. REGULATORY INFORMATION

Symbol(s):

Xn - Harmful; N - Dangerous for the environment



R-phrases)

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

S-phrase(s)

To avoid risks to man and the environment, comply with the instructions for use.

S23 - Do not breathe gas/fumes/vapour/spray.

S24 - Avoid contact with the skin.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

S60 - This material and its container must be disposed of as hazardous waste.

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

S62 - If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

## 16. OTHER INFORMATION

Text of R phrases mentioned in Section 2

R20/22 - Harmful by inhalation and if swallowed.

R43 - May cause sensitization by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

Recommended restrictions

Insecticide for professional use only.

Sources of key data used to compile the datasheet

CHIP 2002

EH40

Raw material suppliers Safety Data Sheets.

Replaces

Revision No.: 2 Changes to Section 2. Changes in classification of piperonyl butoxide.